

Nevos™ Flex



DONATED HUMAN TISSUE

RESTRICTED TO USE BY OR ON THE ORDER OF A LICENSED HEALTHCARE PROFESSIONAL (physician, dentist, podiatrist, optometrist, nurse practitioner or physician assistant). NOT INTENDED FOR VETERINARY USE.

80-174 Rev.02

DESCRIPTION

Nevos Flex is a fenestrated cortical bone allograft. The allograft is processed using aseptic techniques, demineralized and lyophilized. The allograft has been shown to have OsteoInductive (OI) potential. The allograft is aseptically packaged in an inner tear pouch within an outer peel pouch and sealed in an outermost peel pouch to ensure allograft integrity.

INTENDED USE

Nevos Flex is intended for use as a bone void filler.

CONTRAINDICATIONS

Nevos Flex is contraindicated in patients with known sensitivities or allergies to any of the agents listed below in the Warnings section and in patients who have an active systemic infection or any disorder that would create an unacceptable risk of post-operative complications.

DONOR ELIGIBILITY

Nevos Flex is recovered from a qualified donor and processed using aseptic techniques in accordance with federal, state, and/or international regulations and to the standards of the American Association of Tissue Banks. The donor is screened and tested for communicable disease risks and other exclusionary medical conditions. The results of the donor screening and testing have been reviewed by the Medical Director (or licensed physician designee) of VIVEX Biologics, Inc., and the donor has been deemed suitable for transplantation.

Communicable disease testing is performed by an FDA-registered laboratory certified to perform such testing on human specimens under the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C. 263a) and 42 CFR Part 493, or that has met equivalent requirements as determined by the Centers for Medicare and Medicaid Services in accordance with those provisions. Results from the following infectious disease tests have been found to be nonreactive or negative:

Human Immunodeficiency Virus (HIV)

HIV-1/2 Plus O Antibodies (HIV-1/2 Plus O Ab)
Nucleic Acid Test for HIV-1 RNA (HIV-1 NAT)

Hepatitis B Virus (HBV)

HBV Surface Antigen (HBsAg)
HBV Core Antibody (IgG & IgM) (HbCAb)
Nucleic Acid Test for HBV DNA (HBV NAT)

Hepatitis C Virus (HCV)

HCV Antibody (HCVAb)
Nucleic Acid Test for HCV RNA (HCV NAT)

Syphilis*

Rapid Plasma Reagin (RPR) Screen
T. pallidum IgG

*A donor whose blood specimen is unsuitable for the non-treponemal screening assay, such as the RPR test, or with a reactive result from the non-treponemal screening assay, is cleared for transplantation use only when the result from the treponemal-specific (confirmatory) assay is nonreactive.

Screening tests for exposure to other viruses or parasites such as those listed below may have been completed. A negative/nonreactive result may not be required for these tests; however, all results are evaluated on a case-by-case basis by the Medical Director (or licensed physician designee) of VIVEX Biologics.

Cytomegalovirus**

CMV Ab (IgG & IgM)

Epstein Barr Virus

EBV Ab (IgG & IgM)

Human T Cell Lymphotropic Virus I/II**

HTLV-I/II (Antibody HTLV-I/II-Ab)

Toxoplasma gondii

Toxoplasma Ab (IgG & IgM)

Trypanosoma cruzi

T. cruzi Ab (IgG & IgM)

West Nile Virus (WNV)

Nucleic Acid Test for WNV RNA (WNV NAT)

Zika Virus

Zika Ab (IgM)

Nucleic Acid Test for Zika RNA (Zika NAT)

**A donor with a reactive result for the CMV or HTLV-I/II Antibody test is cleared for transplantation use only when the result from a confirmatory assay is nonreactive.

WARNINGS

The donor of Nevos Flex is screened and tested for relevant communicable diseases and disease agents. Nevos Flex is processed using aseptic techniques, microbiologically tested and may be exposed to Gentamicin, Vancomycin, hydrochloric acid or hydrogen peroxide. Although the tissue is rinsed using sterile water or sterile saline during the manufacturing process, trace amounts may remain. Although all efforts have been made to ensure the safety of the allograft, there is no assurance that this allograft is free from all infectious diseases or microbial contamination. Nevos Flex may transmit infectious agents.

DO NOT FREEZE the allograft by any method.

FOR USE IN ONE PATIENT, ON A SINGLE OCCASION ONLY.

DO NOT STERILIZE the allograft by any method. Exposure of the allograft and packaging to irradiation, steam, ethylene oxide or other chemical sterilant may render the allograft unfit for use.

ADVERSE EVENTS AND REACTIONS

Possible adverse events may include:

- Immunologic response (the possibility that a patient may develop alloantibodies should be considered for any patient who might be a future recipient of allograft tissue or cells);
- Transmission of disease of unknown etiology and transmission of infectious agents including but not limited to HIV, hepatitis, syphilis, or microbial contaminants, infection of soft tissue and/or bone (osteomyelitis),
- Immune response of non-infectious cause, including fever;
- Incomplete bone growth, delayed union or nonunion.

80-174 Rev. 02

STORAGE

Nevos Flex must be stored at ambient temperature (2°C - 30°C). It is the responsibility of the tissue dispensing service, tissue distribution intermediary, and/or end-user clinician to maintain the allograft in appropriate storage conditions prior to further distribution or use, and to track expiration dates accordingly. Appropriate inventory control should be maintained so that the allograft with the earlier expiration date is preferentially used and expiration is avoided.

PRECAUTIONS

Nevos Flex is processed and packaged using aseptic techniques and must be handled in an aseptic manner to prevent contamination.

Do not use the allograft if the pouch integrity has been compromised.

Once the allograft container seal has been compromised, the allograft must be reconstituted and transplanted, if appropriate, or otherwise discarded.

The two outermost pouches are not sterile and should not be placed on an operative field.

ALLOGRAFT PREPARATION

Step 1: Remove the packaged allograft from the outermost peel pouch. The allograft is now packaged in an outer peel pouch and an inner tear pouch.

Step 2: Inspect the outer peel pouch for any holes, tears, or incomplete seals.

Step 3: Using aseptic technique, peel open the outer peel pouch from the chevron end and present the sterile inner pouch to the operative field.

Step 4: Locate the tear notch on the inner pouch and tear open.

Step 5: Place the allograft into a sterile basin.

Step 6: Aseptically pour sterile solution into the container until the allograft is completely immersed. Antibiotics of the end-user's preference may be added to the solution if desired. Keep the allograft in solution until it is fully rehydrated.

RECIPIENT INFORMATION

Patient records must be maintained for the purpose of traceability. It is the responsibility of the end-user clinician to provide VIVEX Biologics with information pertaining to the traceability of the allograft used. For this purpose, the postage paid Tissue Utilization Report (TUR) card is provided with the allograft. Once the allograft is used, peel off the small product labels provided on the product packaging and affix on the TUR card and applicable patient records. Complete the TUR card and mail to VIVEX Biologics, scan and e-mail to turs@VIVEX.com, or fax to (888) 630-4321.

ADVERSE REACTION OUTCOME AND COMPLAINT REPORTING

Adverse reaction outcomes potentially attributable to the allograft should be promptly reported to VIVEX Biologics at (888) 684-7783. Any other complaints must be reported to Spinal Elements at (760) 607-0121.

RETURNED GOODS POLICY

Due to the delicate biological nature of a processed allograft, it cannot be returned for credit. If for any reason the allograft must be returned, a return authorization is required from VIVEX Biologics prior to shipping. It is the responsibility of the healthcare institution returning the allograft to adequately package and label it for return shipment.

The product manufacturer warrants that the allograft will conform to the specifications set forth herein provided that the allograft is handled, stored, and implanted by health care professionals according to the requirements set forth herein or as provided by it in writing. The product manufacturer makes no other warranties regarding the allograft; specifically disclaims any implied or statutory warranties, including any warranty against disease transmission; and makes no representations or warranties concerning the biological properties or biomechanical properties of the allograft.



Distributed by:

Spinal Elements

3115 Melrose Drive, Suite 200

Carlsbad, California 92010, USA

P: (760) 607-0121 | www.spinalelements.com

Manufactured by:

VIVEX Biologics, Inc.

2430 NW 116th Street

Miami, Florida 33167 USA